AL-V-A-019 Pryor Stone House Old Rt. 40 Eckhart (Clarysville vicinity), Allegany Co. MD Eligible, Criterion A, C

This one story stone cottage has a three bay south facing main facade. The house stands one bay in depth with a porch sheltering the main central entrance. A frame shed addition spans the rear. As the land slopes away to the north the cellar is exposed. Asphalt shingles cover the gable roof. The 2/2 sash windows on the front are old but not original. The house is painted white and may have been whitewashed originally. The masonry is random rubble stone with large blocks forming well-laid quoins at the corners. The chimney in the west gable end is in its original position but has a rebuilt brick top.

The Consolidation Coal Company built this house c. 1840 to house mine workers at the Eckhart Mine. This building is the best-preserved example in a row of three such stone cottages. The house is one of the earliest examples of miners' housing in Western Maryland's Georges Creek coal region and it is representative of well-built small stone houses of the early 19th century. The building also demonstrates the importance of the National Road to facilitate transportation and encourage the development of commerce and industry in the area. Since this house has been only slightly altered and overall retains high integrity of location, design, setting, materials, and feeling it is recommended as eligible for the National Register of Historic Places.

Prepared by Merry Stinson
Paula S. Reed and Associates, Inc.
105 N. Potomac St.
Hagerstown, MD 21740

MARYLAND HISTO	RICAL TRUST Eligibility Not Recommended	
Criteria:ABCD Considerations: _	_ABCDEFG	None
Comments:		
Reviewer, OPS: Reviewer, NR Program:	Date: 6 12 00)



View of Pryor Stone House (Al-V-19).

The Pryor Stone House, which is an example of the salt box style of architecture, was built around 1840 by the Consolidation Coal Company for the purpose of supplying adequate housing for workers in the nearby mines. The house is a one and one half story, three bay wide rubble stone constructed facade. A shed roofed wing is found on the rear north side while a small entrance porch with shed roof is found on the front south side. Appointments of the house include rafter end eaves, and double hung wooden sash frames with one-over-one lights and a flat stone cornice.

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

1 NAME				
HISTORIC	Coal Company House			
AND/OR COMMON				
	Pryor Stone House			
2 LOCATIO	N			
STREET & NUMBE	R		Or Porter St. Ext.	
	Morth Side of Old R	t. 40 at Intersection	n of Beer Alley; Eck	hart
· -	Eckhart	Y VICINITY OF	Sixth	(IC)
STATE	<u> </u>	- A VICINITY OF	COUNTY	
	Maryland		Allegany	
3 CLASSIF	ICATION			
CATEGOR	Y OWNERSHIP	STATUS	PRES	ENT USE
DISTRICT	PUBLIC	X_OCCUPIED	AGRICULTURE	MUSEUM
X_BUILDING(S)	X PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
STRUCTURE	ВОТН	WORK IN PROGRESS	EDUCATIONAL	X_PRIVATE RESIDENC
SITE	PUBLIC ACQUISI		ENTERTAINMENT	RELIGIOUS
OBJECT	_IN PROCESS	YES: RESTRICTED	GOVERNMENT	SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	TRANSPORTATION
		X_NO	MILITARY	OTHER
4 OWNER	OF PROPERTY			
NA ME	Clinton E. Pryor		Telephone #: 6	8 9- 9415
STREET & NUMBE			rerephone #. o	C7-7417
P.	0. Box 55			
CITY, TOWN			STATE , Z	zip code
	Eckhart	Y VICINITY OF	Maryland 215	28
5 LOCATIO	ON OF LEGAL DE	SCRIPTION	Liber #: 272	
COURTHOUSE.			Folio #: 266	
REGISTRY OF DEE	DS,ETC. Allegany Cou	nty Courthouse	200	
STREET & NUMBE				
	30 Washingto	n Street		
CITY, TOWN			STATE	
	Cumberland		Maryland	
6 REPRESI	ENTATION IN EX	CISTING SURVEYS	S	
TITLE				
DATE		FEDERAL	STATECOUNTYLOCAL	L
DEPOSITORY FOR				
SURVEY RECORDS				
CITY, TOWN			STATE	



__EXCELLENT

_GOOD

XFAIR.

CONDITION

__DETERIORATED

UNEXPOSED

RUINS

ED __UNALTERED __XALTERED

CHECK ONE

XORIGINAL SITE

A-V-A-19

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

CHECK ONE

The Fryor old stone house is located along old Route 40 in Eckhart, Allegany County on the north side of the road at the intersection of Forter Street.

The house is an utilitarian style of architecture which consists of a one and a half story, three bay wide rectangular shaped facade. A wing with a shed roof abuts the main block on the rear northern side and a garage wing is connected to the rear wing by a hypen. The main facade is constructed of stone with rubble bond, and the rear wings appear to be frame and covered with asbestos shingles. The roof of the house is gabled and is covered with replaced asphalt shingles. Windows in the structure exhibit double hung wooden sash frames with one-over-one lights on the sides and two-over-two lights on the front face. The main entrance is found on the front southern face and includes the original, horizontally paneled, recessed door and a newly added storm door. A small end porch covers the entrance to the house, and features a shed roof supported by square columns and cement block foundation, which gives evidence that the porch is a new addition. One replaced metal chimney is located on the outside west end of the house.

The stone house is structurally sound, however, the original appearance has been somewhat altered by the new additions and replaced materials.

8 SIGNIFICANCE

M-V-A-09

PERIOD	AF	REAS OF SIGNIFICANCE CH	HECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEULOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION
1500-1599	AGRICULTURE	CONSERVATIONECONOMICS	LAWLITERATURE	SCIENCE
1600-1699	XARCHITECTURE	EDUCATION	MILITARY	SCULPTURE SOCIAL/HUMANITARIAN
1700-1799	ART	ENGINEERING	MUSIC	THEATER
△1800-1899 △1900-	COMMERCECOMMUNICATIONS	EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION
		∴INDUSTRY —INVENTION	POLITICS/GOVERNMENT	_OTHER (SPECIFY)

SPECIFIC DATES 1840-1860

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

The Pryor old stone house was built between 1840 and 1860 by the Consolidation Coal Company and is an example of the utilitarian style of architecture used for simple housing at the time. The house was built crudely of local materials, to supply mine workers with a means of inexpensive and adequate housing. This particular house and many other company houses were built when the mines were very prosperous, and at one time one of the largest and most productive operations in the world. The presence of the house and its fairly good condition certainly enhances the cultural and mining heritage which was a large part of the history of Allegany County.

1-V-A-019

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Allegany County Land Records, Cumberland, Maryland

CONTINUE	ON SEPARATE SHEET IF NECESSARY	
	APHICAL DATA NOMINATED PROPERTY Less than one acre	
VERBAL BO	OUNDARY DESCRIPTION	
	Corner of Old Rt. 40 and Porter Street ; F	Sckhart
	Approx. Lines North & South 155! Lines Ea	ast & West 30' & 90'
LISTA	NI STATES AND COUNTIES FOR PROPERTIES OVERLA PRINC	
2.017	ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING	STATE OR COUNTY BOUNDARIES
STATE	COUNTY	
STATE	COUNTY	
11 FORM P	REPARED BY	
	John E. Nelson, Program Coordinator of Al	l. Co. Historic Sites
ORGANIZATION		DATE
STREET & NUMB	Allegany County Historic Sites Survey	5/25/76 TELEPHONE
	10 Park Lane	68 9- 6486
CITY OR TOWN		STATE
	Fros thurg	laryland -

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust

The Shaw House, 21 State Circle

Annapolis, Maryland 21401

(301) 267-1438

Old Company Stone House - Pryor Along Old Rt. 40 at intersection of Porter Street AL-V-A-019

HISTORICAL CHAIN OF TITLE

Allegany County - Deed - Liber 272, Folio 266 grantee: Clinton E. Pryor and Dorothy Pryor grantor: Maryland Coal & Realty Company - Trustees Fhilip and William Jenkins October 29, 1955 Consideration \$3,500

Allegany County - Deed - Liber 215, Folio 705 grantee: MD Coal & Realty Company grantor: Pittsburgh Consolidation Coal Company July 7, 1947

Consolidation Coal Company - original owner

	INVINTERY NO. A1- V- A- 019
	DATE: 5/19/76
يد مو	(60 x36 x40 x/50
	MANE OF FROMERTY: Coal Company Tryor Stone House
	ICUMPIEN OF FROMITY: Old Rt 40 - North side at Intersection of Beer
	August - Eckhart
	DIRECTION DARLIANG FACES: South
	MANE OF CHIER: Clinton E. Pryor 689-9415
	ADDRESC: P.O. Box 55
ı	Eckhart, Maryland 21528
12	STORIES: 1(1) 2() 3() 4() 5() 6() BAYS: 1() 2() 3() 4() 5() 6() 7() ()
	WILGS, ADDITIONS: Rear Frame Addition with Shed Roof
	Dwelling Shape: (square, cross, (rectangular)
	WALL ON INSTRUCTION:
	() FRANE: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?) () BRICK: Bond type-common, English, Flemish. Sketch variants. (/) STONE: Bond type-rubble ashlar (random or regular), quoins-plain, rusticated () LOG () Other: Coverings Ashes to S Skingles on Add; tion
	MALL PRATURES: BELT COURSE, PILASTELLS, CTHERS Plain FOUNDATIONS: HIGH, LOW, BRICK, STONE) WATER TOBLE: (MCNE) PLAIN, BEVALED, ECULDED BRICK
	WINDOWS, TRIM, SHUTTERS: 1/1(/) 2/2(/) 6/6() 9/6() 9/9() other()
	ENTRANCE, DOORS: LOCATION: HARDWARE: original(v) replaced() FAR LIGHT, TRANSCE, SIDE LIGHTS, PLAIN Faneled, MANAGE (Orizontal) Boards
	CORNIUM, BARGL, MAVEC: (crown, feecia, soffit, bed) original() replaced() Refter Ends, Modillions, Dentils, Frieze,
	Architrave MCCF: Gubb FRONT, GUBB FLORD UU, CHED, LANCARD, GARRELL, FLAT, TORRERS (LATERIAL: wood shingles, slate, tin, asphald original() replaced()
	1000HLB: SHAFE CF RCCF - shed(V) hip() gable() 1 Bay Entrance - Added
	CHIMBER: HULER 1
6	ARGINE: Door and window: Reyntone, Flat, Regnental, Semicircular
	OCTO ARTHER: One - Residence Dignificance - Arch Late Constructed - Mid 19th Century Condition - Fair

Key points regarding interior architecture.

19.10mg - 新国主持经验的第

- 1. Floor plan
 No through hall--How many rooms long and deep?
 Where is stairway? Straight or winding?
 - With through hall--Rooms on both sides? How many?


 Rooms on one side only? How many?

 Is stair in through hall?

 Open or enclosed? Straight--one run. Straight--landing
 How many? Curved.

 If not in hall, where is stair?
- 2. Wall finish: plaster, paneled, board partition Note presence of chair rail, cornice, etc.
- 3. Doors: on the inside of exterior doors, note the presence of applied flush boards and their direction (diagonal, vertical, horizontal). In general are doors paneled or ledge or other?
- 4. Door and window trim: plain, architrave; fluted, reeded; pilasters
- 5. Kitchen: Where is original if extant or known (marked by very large fireplace)? Separate building; wing to principal dwelling; within principal dwelling? On which floor of any of the above?

The track of the many that have to the the more than a track of





Pryor Stone House A1-U-A-019 Old Rt 40 Eckhart John E. Nelson 5/20/76 Northwest



Pryor Stone House A1-V-A-019 Old Rt. 40 Eckhart John E. Nelson 5/20/76 Southwest



AL-V-A-019 COAL COMPANY HOUSE

5/20/76 - John Nelson